

LOBA Stain

Fastest drying stain on the market for hardwood flooring.

Tired of waiting around for your stain to dry? **LOBA Stain** is the quick-drying solution you have been searching for. With no lingering odor, your customers can feel comfortable getting back into their space sooner.

- 1 HOUR DRY TIME (all colors)
- · Guaranteed adhesion with LOBA water-based finishes
- · Easy application and touch-ups
- · No lap marks / No double staining
- · Not self-combustible

- · No lingering odor
- Low VOC Emissions CDPH v 1.2 lower than requirements (96 uqm2/hr)
- · Consistent coloration
- Mix together to create custom colors



Available in 21 colors (1 qt)

Range of use

For professional use on wood surfaces. Compatible with all LOBA water-based sealers and finishes.

Color options



Application - 3 coat LOBA system

- Prepare surface according to NWFA guidlines.
- Apply **LOBA Stain** by desired method either the rag on, rag off technique or buffing.
- Drying time minimum of 1 hour.
- Apply LOBA water-based sealer (LOBA EasyPrime or LOBA VivaPrime) or any self-sealing LOBA finish.
- Apply LOBA water-based finish and allow to dry completely*
- Perform inter-coat abrasion with a buffer and LOBASAND Perforated Pad 180. Vacuum floor then
 tack/ clean using a LOBA Mop and a new, clean LOBA Microfiber Mop Pad lightly dampened with
 water to remove all dust.
- · Apply final coat of LOBA water-based finish*

*The dry times of the sealers and finishes are in the Technical Data Sheets



How to apply

What is needed







Perforated Pad 180



Мор



Microfiber

Pro Tips

1) When using brown and darker LOBA Stain colors, a more intense, richer color can be achieved by using LOBA Amberizer in the sealer.



2) LOBA finishes that are approved as two coat systems for residential settings (LOBA 2K InvisibleProtect A.T., and LOBA Hybrid) MUST both be applied with the LOBA Roller Deluxe 120 over LOBA Stain. Too little finish on the first coat increases the risk of removing stain color when performing inter-coat abrasion.





Stain

Refer to the Technical Data Sheets for all LOBA Products being used

